

Teleios

150 g

IMPROVED
FORMULA


KUKU - BOOST



WATER SOLUBLE POWDER / EAU Poudre SOLUBLE

**BROILER BOOSTER MULTIVITAMIN WITH
ADDITIONAL AMINO-ACIDS**

**AMPLIFICATEUR DU GRIL MULTIVITAMIN
AVEC LES ACIDES AMINÉS SUPPLÉMENTAIRES**



For veterinary use only

Seulement pour l'usage vétérinaire

Powder for oral administration
FOR VETERINARY USE ONLY

WHO-GMP & ISO - 9001

Teleios

150 g

KUKU - BOOST

WATER SOLUBLE POWDER / EAU POUVRE SOLUBLE

Composition:

Each 1 kg powder contains:	DL-methionine20000 mg	
Vitamin A10000000 IU	Lysine hydrochloride40000 mg
Vitamin D34750000 IU	Manganese sulphate12750 mg
Vitamin E3000 IU	Zinc sulphate13250 mg
Vitamin K34000 mg	Ferrous sulphate5250 mg
Vitamin C10000 mg	Copper Sulphate13250 mg
Vitamin B12750 mg	Potassium chloride73750 mg
Vitamin B24750 mg	Biotin20000 mcg
Vitamin B62750 mg	Sodium sulphate215000 mg
Vitamin B1211750 mcg	Sodium Chloride48750 mg
D-calcium pantothenate5750 mg	Magnesium sulphate12750 mg
Nicotinamide16500 mg	Excipients.....q.s.

Indication:

A balanced supplement containing vitamins, minerals and extra amino acids in water soluble form to promote growth of commercial broilers and chicks up to 8 weeks of age.

KUKU-BOOST is useful to combat stress during periods of high temperature, vaccinations, and as aid in recovery from disease, to boost performance of the stock.

KUKU-BOOST contains the extra Methionone and Lysine which helps the healthy and productive poultry for maximum growth and high performance. Also the references show increased final body and breast weight with increasing dietary methionone content. Methionone helps to improve and normalize the liver function which increases the immunity and prevent poultry from infectious diseases.

Dosage:

Routine: 100 gm / 200 liters drinking water for 7 consecutive days.
Strategic: 100 gm / 300 liters drinking water during 3rd to 6th weeks of age.
Vaccination: 100 gm / 200 liters drinking water one day before & after vaccination.

Warning: Keep out of reach of children

Withdrawal Period: None.

Storage: Store below 30°C, protected from light

KEEP OUT OF REACH OF CHILDREN

Supplement only not for medicine

Teleios

Teleios Pharma Pvt. Ltd.
Plot No. 115, 118 Sector 34,
Kamothe, Navi Mumbai, INDIA
Email : info@teleiospharma.com
Web : www.teleiospharma.com

La Composition:

Chaque poudre de 1 kg contient:	DL-methionine20000 mg	
Vitamine A10000000 IU	Lysine chlorhydrate40000 mg
Vitamine D34750000 IU	Sulfate de manganèse12750 mg
Vitamine E3000 IU	Sulfate de zinc13250 mg
Vitamine K34000 mg	Sulfate ferreux5250 mg
Vitamine C10000 mg	Sulfate de cuivre13250 mg
Vitamine B12750 mg	Chlorure du potassium73750 mg
Vitamine B24750 mg	Biotin20000 mcg
Vitamine B62750 mg	Sulfate du sodium215000 mg
Vitamine B1211750 mcg	Chlorure du sodium48750 mg
D-calcium pantothenate5750 mg	Sulfate du magnésium12750 mg
Nicotinamide16500 mg	Excipients.....q.s.

L'Indication:

Un supplément équilibré qui contient des vitamines, des minéraux et des acides aminés supplémentaires dans l'eau forme soluble pour encourager augmentation de grils commerciaux et poussins jusqu'à 8 semaines d'âge.

KUKU-BOOST est utile pour combattre du stress pendant périodes de haute température, vaccinations, et comme aide dans récupération de maladie, pistonner performance de la réserve.

KUKU-BOOST contient Methionone supplémentaire et Lysine qui aident la volaille saine et productive pour augmentation maximale et haute performance. Aussi montre des références dernier augmenté corps et poids de la poitrine avec augmenter le contenu du methionone diététique. Methionone aide améliorer et normaliser la fonction du foie qu'augmente l'immunité et prévient de la volaille de maladies infectieuses.

Le Dosage:

Courant: 100 gm / 200 litres eau potable pour 7 jours consécutifs.
Stratégique: 100 gm / 300 litres eau potable pendant 3rd à 6th semaines d'âge.
Vaccination: 100 gm / 200 litres eau potable un jour avant et après vaccination.

L'avertissement: Laissez hors de portée d'enfants

Période du retrait: Aucun.

La Conservation: Conservez au-dessous de 30°C, à l'abri de lumière

GARDER LOIN DE LA PORTÉE DES ENFANTS

Batch No. :

Mfg. Date :

Exp. Date :

Teleios


100 g

T-STRESS

WATER SOLUBLE POWDER

EAU POUVRE SOLUBLE

ANTI STRESS PACK
ANTI STRESS PAQUET



For veterinary use only

Seulement pour l'usage vétérinaire

Powder for oral administration
FOR VETERINARY USE ONLY



Teleios

100 g

T-STRESS

WATER SOLUBLE POWDER / EAU POUVRE SOLUBLE

ANTI STRESS PACK / ANTI STRESS PAQUET

Composition:

Each gm powder contains:

Vitamin A	15000 IU	DL-methionine	10 mg
Vitamin D3	4500 IU	Lysine hydrochloride	15 mg
Vitamin E	1.35 mg	Manganese sulphate	12 mg
Vitamin K3	4.5 mg	Zinc sulphate	12 mg
Vitamin C	1 mg	Copper Sulphate	12 mg
Vitamin B2	4.5 mg	Potassium chloride	85 mg
Vitamin B6	2.35 mg	Sodium sulphate	200 mg
Vitamin B12	11.5 mcg	Sodium Chloride	50 mg
D-calcium pantothenate	5.4 mg	Magnesium sulphate	12 mg
Nicotinamide	16.7 mg	Glycin	20 mg
		Excipients	q.s.

Indications:

T - STRESS is well formulated combination of the essential vitamins, minerals and amino acids to prevent and control the stress in calves, cattle, goats, poultry, sheep and swine.

T - STRESS overcomes the stress during vaccination and transportation of the animals.

T - STRESS meets the deficiencies of vitamins, minerals & amino acids during high performance and stress condition.

T - STRESS helps to improve the body condition and productivity of the animal.

T - STRESS provides nutritional support during loss of nutrients in climatic changes, anemic and diseased conditions.

T - STRESS improves immunity of the animal to prevent the infectious diseases.

Dosage:

For oral administration.

Calves, goats and sheep: 1 g per 20 kg body weight for 3 - 5 days.

Cattle: 1 g per 40 kg body weight for 3 - 5 days.

Poultry and swine: 100 g per 200 litres drinking water for 3 - 5 days.

Withdrawal times: None.

Warning: Keep out of reach of children.

Storage: Store below 30°C, protect from light.

KEEP OUT OF REACH OF CHILDREN

Veterinary Supplement only, not for medicinal use

La Composition:

Chaque gm poudre contient:

Vitamine A	15000 IU	DL-méthionine	10 mg
Vitamine D3	4500 IU	Lysine chlorhydrate	15 mg
Vitamine E	1.35 mg	Sulfate de manganèse	12 mg
Vitamine K3	4.5 mg	Sulfate de zinc	12 mg
Vitamine C	1 mg	sulfate de cuivre	12 mg
Vitamine B2	4.5 mg	Chlorure du potassium	85 mg
Vitamine B6	2.35 mg	Sulfate du sodium	200 mg
Vitamine B12	11.5 mcg	Chlorure du sodium	50 mg
D-calcium pantothenate	5.4 mg	Sulfate du magnésium	12 mg
Nicotinamide	16.7 mg	glycocolle	20 mg
		Excipients	q.s.

Les Indications:

T - STRESS est bien formulé combinaison des vitamines essentielles, minéraux et acides aminés prévenir et contrôler le stress dans les veaux, bétail, chèvres, volaille, mouton et cochon.

T - STRESS vainc le stress pendant vaccination et transport des animaux.

T - STRESS rencontre les manques de vitamines, minéraux & acides aminés pendant haute performance et condition du stress.

T - STRESS aide pour améliorer la condition du corps et productivité de l'animal.

T - STRESS fournit le support alimentaire pendant perte d'éléments nutritifs dans changements climatiques, anémique et conditions malades.

T - STRESS améliore immunité de l'animal pour prévenir les maladies infectieuses.

Le Dosage:

Pour administration orale.

Veaux, chèvres et moutons: 1 g par 20 kg poids du corps pour 3 - 5 jours.

Bétail: 1 g par 40 kg poids du corps pour 3 - 5 jours.

Volaille et cochon: 100 g par 200 litres eau potable pour 3 - 5 jours.

Temps du retrait: Aucun.

L'avertissement: Laissez hors de portée d'enfants.

La Conservation: Conservez au-dessous de 30°C, à l'abri de lumière.

GARDER LOIN DE LA PORTÉE DES ENFANTS

Teleios

Teleios Pharma Pvt. Ltd.
Plot No. 115, 118 Sector 34,
Kamothe, Navi Mumbai, INDIA
Email : info@teleiospharma.com
Web : www.teleiospharma.com

Batch No. :

Mfg. Date :

Exp. Date :

Teleios

100 g

T-Vita ES

**Vitamin E & Selenium
Water-Soluble Powder**



Powder for oral administration
FOR VETERINARY USE ONLY



Teleios

100 g

T-Vita ES

Powder for oral administration
FOR VETERINARY USE ONLY

Contains per gram powder:

Vitamin E, a tocopherol acetate 200 mg

Sodium selenite 2 mg

Indications:

Vitamin E deficiencies (like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems) in calves, cattle, goats, poultry, sheep and swine. Prevention of iron-intoxication after administration of iron to piglets.

Dosage: For oral administration:

Poultry and swine : 100 gram per 800 litre drinking water for 3-5 days.

Chicks (<21 days) : 100 gram per 200-400 litre drinking water for 3-5 days.

Calves, goats and sheep : 1 gram per 80 kg body weight for 3-5 days.

Cattle : 1 gram per 160 kg body weight for 3-5 days.

Withdrawal Period: None.

Storage: Store below 30°C.

Protect from light.

KEEP OUT OF REACH OF CHILDREN

Teleios

Veterinary Supplement only, not for medicinal use

Batch No. :

Mfg. Date :

Exp. Date :

Teleios Pharma Pvt. Ltd.

Plot No. 115, 118 Sector 34, Kamothe, Navi Mumbai, INDIA

Email : info@teleiospharma.com Web : www.teleiospharma.com

Teleios



T-Lyte

100 g

Water Soluble Powder

Vitamin, Electrolyte & Amino Acid Supplement



Composition

Vitamins, Electrolytes and Amino Acids

Indications:

Continuous Application
T LYTE may be used as a source of micronutrients in tropical conditions and for intensive production methods. It also provides essential amino acids to promoter growth and improved feed conversion. Intensive Application Helps to reduce stress in animals arising from diseases, weather changes, vaccination, transportation and debarking etc. T LYTE should be used for at least 7 days or until appetite is regained.

Dosage and Administration

Continuous Application

Poultry- Dissolve 100 g per 200 L of Drinking water and Supplement for 3-5 days

Swine- Dissolve 100 g per 300 L of Drinking water and Supplement for 3-5 days.

Intensive Application

Poultry- Dissolve 100 g per L of Drinking water and supplement for 5-7 days.

Swine- Dissolve 100 g per 150 L of drinking water and supplement for 5-7 days.

Storage: Store below 30°C, protect from light.

Veterinary Supplement only, not for medicinal use

Powder for oral administration
FOR VETERINARY USE ONLY

Contents per kg:


Vitamin A	10.0 MIU
Vitamin D3	4.0 MIU
Vitamin E	6.5 g
Vitamin K3	2.0 g
Vitamin B1	1.5 g
Vitamin B2	3.5 g
Vitamin B6	2.5 g
Vitamin B12	10.0 mg
Vitamin C	12.0 g
Folic Acid	0.4 g
Nicotinic Acid	7.0 g
Pantothenic Acid	7.0 g
Magnesium	6.0 g
Potassium	7.5 g
Sodium	20.0 g
Lysine	20.0 g
Methionine	10.0 g
Threonine	5.0 g
Citric Acid	10.0 g

Batch No. :

Mfg. Date :

Exp. Date :

Teleios



Teleios Pharma Pvt. Ltd.

Plot No. 115, 118 Sector 34,
Kamothe, Navi Mumbai, INDIA
Email : info@teleiospharma.com
Web : www.teleiospharma.com